**ENG:** The measurements mentioned in the drawings and in TimberIN websites are only approximate data. They will differ from the measurements of the finished product. It is due to the fact that our products are individually designed and hand-made. However, if one or more measurements are very important, please mention before ordering. We will pay big attention to your requirements in the production process. This will ensure that the product will be produced as closely as possible to your requirements.

**DE:** Die in den Zeichnungen und auf den TimberIN-Websites genannten Maße sind nur ungefähre Angaben. Sie unterscheiden sich von den Maßen des fertigen Produkts. Dies liegt daran, dass unsere Produkte individuell gestaltet und handgefertigt werden. Wenn jedoch eine oder mehrere Messungen sehr wichtig sind, geben Sie dies bitte vor der Bestellung an. Wir werden Ihre Anforderungen im Produktionsprozess sehr berücksichtigen. Dadurch wird sichergestellt, dass das Produkt so genau wie möglich Ihren Anforderungen entspricht.

**FR:** Les mesures mentionnées dans les dessins et sur les sites Web TimberIN ne sont que des données approximatives. Ils différeront des mesures du produit fini. Cela est dû au fait que nos produits sont conçus individuellement et fabriqués à la main. Cependant, si une ou plusieurs mesures sont très importantes, merci de le mentionner avant de commander. Nous prêterons une grande attention à vos besoins dans le processus de production. Cela garantira que le produit sera fabriqué aussi près que possible de vos besoins.

**DK:** Målingerne nævnt på tegningerne og på TimberIN-websteder er kun omtrentlige data. De afviger fra målingerne af det færdige produkt. Det skyldes, at vores produkter er individuelt designet og håndlavet. Hvis en eller flere målinger dog er meget vigtige, skal du nævne det før du bestiller. Vi vil være meget opmærksomme på dine krav i produktionsprocessen. Dette vil sikre, at produktet produceres så tæt som muligt efter dine krav.

**NO:** Målingene nevnt på tegningene og på TimberIN nettsteder er bare omtrentlige data. De vil avvike fra målingene av det ferdige produktet. Det skyldes det faktum at produktene våre er individuelt designet og håndlaget. Imidlertid, hvis en eller flere målinger er veldig viktige, må du nevne før du bestiller. Vi vil ta stor vekt på dine krav i produksjonsprosessen. Dette vil sikre at produktet blir produsert så nært som mulig dine behov.

**IT:** Le misure menzionate nei disegni e nei siti Web di TimberIN sono solo dati approssimativi. Differiranno dalle misure del prodotto finito. È dovuto al fatto che i nostri prodotti sono progettati e realizzati a mano individualmente. Tuttavia, se una o più misurazioni sono molto importanti, si prega di menzionare prima di ordinare. Presteremo grande attenzione alle vostre esigenze nel processo di produzione. Ciò garantirà che il prodotto sarà prodotto il più vicino possibile alle vostre esigenze.

**NL:** De in de tekeningen en op TimberIN-websites genoemde metingen zijn slechts benaderende gegevens. Ze zullen verschillen van de afmetingen van het eindproduct. Het is te wijten aan het feit dat onze producten individueel zijn ontworpen en met de hand zijn gemaakt. Als een of meer metingen erg belangrijk zijn, vermeld dit dan voordat u bestelt. We zullen veel aandacht besteden aan uw eisen in het productieproces. Dit zorgt ervoor dat het product zo dicht mogelijk bij uw eisen wordt geproduceerd.

**SWE:** Mätningarna som nämns på ritningarna och på TimberIN-webbplatser är endast ungefärliga data. De kommer att skilja sig från måtten på den färdiga produkten. Det beror på att våra produkter är individuellt designade och handgjorda. Om en eller flera mätningar är mycket viktiga, berätta dock innan du beställer. Vi kommer att ägna stor uppmärksamhet åt dina krav i produktionsprocessen. Detta kommer att säkerställa att produkten produceras så nära dina krav som möjligt.

**PL:** Pomiary wymienione na rysunkach i na stronach internetowych TimberIN są jedynie danymi przybliżonymi. Będą się różnić od pomiarów gotowego produktu. Wynika to z faktu, że nasze produkty są indywidualnie zaprojektowane i wykonane ręcznie. Jeśli jednak co najmniej jeden pomiar jest bardzo ważny, należy o tym wspomnieć przed złożeniem zamówienia. Zwrócimy dużą uwagę na Twoje wymagania w procesie produkcyjnym. Zapewni to, że produkt będzie produkowany jak najbliżej Twoich wymagań.


# RECTANGULAR WOODEN OUTDOOR SAUNA TECHNICAL SHEET

TimberIN
BALTIC SPA & SAUNAS

## Table of contents



GENERAL MEASUREMENTS ..... 3
2000 MM RECTANGULAR SAUNA ..... 4
3000 MM RECTANGULAR SAUNA ..... 7
4000 MM RECTANGULAR SAUNA ..... 12
5000 MM RECTANGULAR SAUNA ..... 18
WOOD BURNING HARVIA HEATERS ..... 24
WOOD BURNING HARVIA HEATER SAFETY DISTANCES APPLIED IN TIMBERIN SAUNAS ..... 25
ELECTRIC HARVIA HEATERS ..... 26
THERMAL INSULATION ..... 27
PANORAMIC WINDOW TYPES ..... 28
STANDARD WINDOW ..... 28
PANORAMIC WINDOW (GLASS AREA 50%) ..... 29
PANORAMIC WINDOW (GLASS AREA 100%) ..... 30

# GENERAL MEASUREMENTS




3D view of this model

# 2000 MM RECTANGULAR SAUNA





| MODEL | 2000 MM |
|---|---|
| | |
| Seating capacity | 2 - 4 |
| | |
| Length | 2040 mm |
| Height (without chimney) | 2450 mm |
| Width | 2340 mm |
| Weight | ~800 kg |
| | |
| Wood type | Spruce<br>Larch<br>Thermowood |
| | |
| Recommended official “Harvia” heater | Harvia M3<br>Harvia M3 SL<br>Harvia Cilindro 9 kW |
| | |


3D view of this model

# INTERIOR LAYOUT

| MODEL | INTERIOR LAYOUT of not insulated sauna |
|---|---|
| | |
| Length outside | 2040 mm |
| Length inside | 1900 mm |
| Width outside | 2340 mm |
| Width inside | 2260 mm |
| | |
| Door width | 620 mm |
| Width of the benches | 580 mm |
| | |




# DELIVERY INFO



| MODEL 2000 MM | DELIVERY INFO |
|---|---|
| | |
| **Assembled sauna measurements** | Height: 2620 mm<br>Width: 2400 mm<br>Length: 2080 mm<br><br>Weight ~800 kg |
| | |

# 3000 MM RECTANGULAR SAUNA





| MODEL | 3000 MM |
|---|---|
| | |
| Seating capacity | 4 - 6 |
| | |
| Length | 3040 mm |
| Height (without chimney) | 2450 mm |
| Width | 2340 mm |
| Weight | ~1100 kg |
| | |
| Wood type | Spruce<br>Larch<br>Thermowood |
| | |
| Recommended official “Harvia” heater | Harvia M3<br>Harvia M3 SL<br>Harvia Cilindro 9 kW |
| | |

3D view of this model

# INTERIOR LAYOUT (1)

## 3 m sauna


| MODEL | INTERIOR LAYOUT of not insulated sauna |
|---|---|
| | |
| Length outside | 3040 mm |
| Length inside | 2900 mm |
| Width outside | 2340 mm |
| Width inside | 2260 mm |
| | |
| Door width | 620 mm |
| Width of the benches | 580 mm |
| | |




# INTERIOR LAYOUT (2)


## 1m dressing room + 2m sauna

| MODEL | INTERIOR LAYOUT of not insulated sauna |
|---|---|
| | |
| Length outside | 3040 mm |
| Length inside | 950 mm and 1810 mm |
| Width outside | 2340 mm |
| Width inside | 2260 mm |
| | |
| Door width | 620 mm |
| Width of the benches | 580 mm |
| | |



# BASE MEASUREMENTS





Please note that the base of the sauna may differ depending on the type of construction.


If that makes any influence on your order, please contact us separately and we will give all required information

# DELIVERY INFO



| MODEL 3000 MM | DELIVERY INFO |
|---|---|
| | |
| **Assembled sauna measurements** | Height: 2620 mm<br>Width: 2400 mm<br>Length: 3080 mm<br><br>Weight ~1100 kg |
| | |

# 4000 MM RECTANGULAR SAUNA





| MODEL | 4000 MM |
|---|---|
| | |
| Seating capacity | 6 - 8 |
| | |
| Length | 4040 mm |
| Height (without chimney) | 2450 mm |
| Width | 2340 mm |
| Weight | ~1400 kg |
| | |
| Wood type | Spruce<br>Larch<br>Thermowood |
| | |
| Recommended official “Harvia” heater | Harvia 20 PRO<br>Harvia 20 SL<br>Cilindro 11 kW |
| | |

3D view of this model

# INTERIOR LAYOUT (1)

## 4 m sauna


| MODEL | INTERIOR LAYOUT of not insulated sauna |
|---|---|
| | |
| Length outside | 4040 mm |
| Length inside | 3900 mm |
| Width outside | 2340 mm |
| Width inside | 2260 mm |
| | |
| Door width | 620 mm |
| Width of the benches | 580 mm |
| | |



# INTERIOR LAYOUT (2)

## 1 m dressing room + 3 m sauna


| MODEL | INTERIOR LAYOUT of not insulated sauna |
|---|---|
| | |
| Length outside | 4040 mm |
| Length inside | 950 mm and 2810 mm |
| Width outside | 2340 mm |
| Width inside | 2260 mm |
| | |
| Door width | 620 mm |
| Width of the benches | 580 mm |
| | |




# INTERIOR LAYOUT (3)


## 1,5 m dressing room + 2,5 m sauna

| MODEL | INTERIOR LAYOUT of not insulated sauna |
|---|---|
| | |
| Length outside | 4040 mm |
| Length inside | 1450 mm and 2310 mm |
| Width outside | 2340 mm |
| Width inside | 2260 mm |
| | |
| Door width | 620 mm |
| Width of the benches | 580 mm |
| | |



# BASE MEASUREMENTS





Please note that the base of the sauna may differ depending on the type of construction.

If that makes any influence on your order, please contact us separately and we will give all required information

# DELIVERY INFO




| MODEL 4000 MM | DELIVERY INFO |
|---|---|
| | |
| **Assembled sauna measurements** | Height: 2620 mm<br>Width: 2400 mm<br>Length: 4080 mm<br><br>Weight ~1400 kg |
| | |

Mobein

# 5000 MM RECTANGULAR SAUNA

TimberIN
BALTIC SPA & SAUNAS





| MODEL | 5000 MM |
|---|---|
| | |
| Seating capacity | 8 - 10 |
| | |
| Length | 5040 mm |
| Height (without chimney) | 2450 mm |
| Width | 2340 mm |
| Weight | ~1700 kg |
| | |
| Wood type | Spruce<br>Larch<br>Thermowood |
| | |
| Recommended official “Harvia” heater | Harvia 20 PRO<br>Harvia 20 SL<br>Cilindro 13 kW |
| | |

3D view of this model

# INTERIOR LAYOUT (1)

## 5 m sauna


| MODEL | INTERIOR LAYOUT of not insulated sauna |
|---|---|
| | |
| Length outside | 5040 mm |
| Length inside | 4900 mm |
| Width outside | 2340 mm |
| Width inside | 2260 mm |
| | |
| Door width | 620 mm |
| Width of the benches | 580 mm |
| | |



# INTERIOR LAYOUT (2)

## 1 m dressing room + 4 m sauna


| MODEL | INTERIOR LAYOUT of not insulated sauna |
|---|---|
| | |
| Length outside | 5040 mm |
| Length inside | 950 mm and 3810 mm |
| Width outside | 2340 mm |
| Width inside | 2260 mm |
| | |
| Door width | 620 mm |
| Width of the benches | 580 mm |
| | |




# INTERIOR LAYOUT (3)


## 1,5 m dressing room + 3,5 m sauna

| MODEL | INTERIOR LAYOUT of not insulated sauna |
|---|---|
| | |
| Length outside | 5040 mm |
| Length inside | 1450 mm and 3310 mm |
| Width outside | 2340 mm |
| Width inside | 2260 mm |
| | |
| Door width | 620 mm |
| Width of the benches | 580 mm |
| | |



# BASE MEASUREMENTS





Please note that the base of the sauna may differ depending on the type of construction.

If that makes any influence on your order, please contact us separately and we will give all required information

# DELIVERY INFO



| MODEL 5000 MM | DELIVERY INFO |
|---|---|
| | |
| **Assembled sauna measurements** | Height: 2620 mm<br>Width: 2400 mm<br>Length: 5080 mm<br><br>Weight ~1700 kg |
| | |

# WOOD BURNING HARVIA HEATERS

## Recommended for 2 – 4 meter sauna room
### Harvia M3 + chimney



The Harvia M3 has a classic design and is suitable for smaller, woodburning saunas. It turns a sauna bath into a pleasurable experience and adds a touch of traditional sauna atmosphere. The even heat and efficient air circulation guarantee an enjoyable bath.

**Output 16,5 kW**

**Stones max. 30 kg**

**User manual HERE**

## Recommended for 2 - 4 meter sauna room
### Harvia M3 SL + chimney (logs loaded from outside instead of inside)



The SL models are designed for people who want to conveniently heat their sauna from another room or outside the building. SL stoves provide great bathing in small and medium-sized saunas.

**Output 16,5 kW**

**Stones max. 30 kg**

**User manual HERE**

## Recommended for 4 – 5 meter sauna room
### Harvia 20 PRO + chimney



Harvia 20 Pro gives a good hot bath in medium-sized saunas. It has a big stone space and an air-flow spoiler made of stainless steel. Through the cast-iron glass door the warm glow of the fire adds to the sauna atmosphere.

**Output 24,1 kW**

**Stones max. 40 kg**

**User manual HERE**

## Recommended for 4 – 5 meter sauna room
### Harvia 20 SL + chimney (logs loaded from outside instead of inside)



The SL models are designed for people who want to conveniently heat their sauna from another room or outside the building. SL stoves provide great bathing in small and medium-sized saunas.

**Output 24,1 kW**

**Stones max. 40 kg**

**User manual HERE**

# WOOD BURNING HARVIA HEATER SAFETY DISTANCES APPLIED IN TIMBERIN SAUNAS ACCORING TO OFFICIAL HARVIA HEATERS SAFETY REQUIREMENTS

**HARVIA M3 / HARVIA M3 SL:**

- Walls and benches made of inflammable materials. The minimum safety distances to inflammable materials:
  - on either side – 25 cm (B),
  - behind the stove – 30 cm (C), *due to installed cetris panel behind the heater the distance can be minimized,*
  - in the front – approx. 30 cm (D).
- Heater ground area is covered with cetris panel.

**Harvia 20 PRO / Harvia 20 SL:**

- Walls and benches made of inflammable materials. The minimum safety distances to inflammable materials:
  - on either side – 30 cm (B),
  - behind the stove – 30 cm (C), *due to installed cetris panel behind the heater the distance can be minimized,*
  - in the front – approx. 30 cm (D).
- Heater ground area is covered with cetris panel.

**SAUNA CHIMNEY:**

- Non insulated chimney min. 50 cm from inflammable materials (*side materials can be cover with cetris panel to reduce the distance*).
- Insulation between roof and insulated chimney min. 10 cm.
- Chimney insulation going down from the roof min. 43 cm.

| | A min. | B min. | C min. | D min. |
|---|---|---|---|---|
| M1, M2, M3/SL, Classic 140 | 1200 | 250 | 300 | 300 |
| 20 Pro, 20 SL/Duo, 20 ES Pro/S, 20 Boiler, 20 SL Boiler, Premium/VS, Classic 220/Duo, 20 RS/LS Pro | 1300 | 300 | 300 | 300 |
| 26 Pro, Classic 280 | 1280 | 375 | 375 | 375 |
| 36, 36 Duo | 1250 | 500 | 500 | 500 |
| Linear 16, 16 | 1300 | 300 | 350 | 400 |
| Linear 22, 22/S, Linear 22 RS/LS/ES, 22 RS/LS/ES S | 1265 | 400 | 380 | 500 |
| Linear 28 | 1380 | 400 | 400 | 500 |





*Figure 1 Safety distances (all dimensions in millimeters)*






*Figure 2 Safety distances for chimney (all dimensions in millimeters)*

# ELECTRIC HARVIA HEATERS

| Recommended for 2 – 3 meter sauna room<br>Cilindro 9 kW (PC90) with an integrated control unit | Recommended for 4 meter sauna room<br>Cilindro 11kW (PC110XE) including a digital Harvia Xenio control panel. |
|---|---|
| <br>Harvia Cilindro electric heater's massive sauna stone amount provides enjoyable sauna bath. Cilindro has an apertured outer casing made of stainless steel. You can adjust the nature of the heat from soft to sharp by throwing water either to the side of the heater or straight on top of the stone pillar.<br>**Output 9 kW**<br>**Stones max. 80 kg**<br>**User manual HERE** | <br>Harvia Cilindro 110EX heaters provide a smooth, yet powerful heat in saunas of all sizes. Exterior made from stainless steel looks impressive and is a great addition to any sauna. Sauna temperature can be seen in the digital display.<br>**Output 10.8 kW**<br>**Stones max. 120 kg**<br>**User manual HERE** |

inMberin

# THERMAL INSULATION




**THE CROSS-SECTION VIEW OF INSULATED OUTDOOR SAUNA`S WALL**

The first one (1) represents the wooden panels (44 mm thick).

The second one (2) – humidity barrier. The main aim of the humidity barrier is to eliminate the penetration of water or vapor to the insulation layer (3).


The nature of humidity barrier from outside and inside is different. The outside layer waterproofs the insulation and the inside humidity barrier does not allow the vapor to penetrate to the insulation layer. They both are very thin therefore their thickness is not mentioned.

The fourth (4) and the last layer is interior wooden panels, they are 20 mm of thickness. They are needed to support the insulation layer. It must be noted that the humidity barrier from the outside does not necessarily always have to be there. It depends on the type of sauna. The external wooden panels which form the wall of sauna are usually covered with bituminous shingles which act as waterproofing layer as well.

If you need more information then check our article HERE

# PANORAMIC WINDOW TYPES


## STANDARD WINDOW




| STANDARD WINDOW |
| --- |
| |
| Height: 450 mm<br>Width: 640 mm |

**Please note that the manufacturer depending on the model might install wooden edges for decorative / constructional purposes.


# PANORAMIC WINDOW (GLASS AREA 50%)




| PANORAMIC WINDOW (GLASS AREA 50%) |
| --- |
| |
| Height: 1110 mm<br>Width: 2260 mm |

**Please note that the manufacturer depending on the model might install wooden edges for decorative / constructional purposes.

# PANORAMIC WINDOW (GLASS AREA 100%)




| PANORAMIC WINDOW (GLASS AREA 100%) |
| --- |
| Height: 2130 mm<br>Width: 2260 mm |

**Please note that the manufacturer depending on the model might install wooden edges for decorative / constructional purposes.

# AANVULLENDE INFORMATIE

De volgende pagina’s vullen het oorspronkelijke technische blad op de vorige pagina’s aan met actuele TimberIN-informatie (gegevens 11/2026). Wijkt een detail af, vraag het ons dan; de goedgekeurde ordertekening is bepalend.

## In dit deel


HARVIA-KACHELS ..... 32
THERMISCHE ISOLATIE (OPTIONEEL) ..... 33
DAKKLEUREN EN ACCESSOIRES ..... 34
MOBIELE VERSIE – NORDIC SQUARE MOBILE SAUNA ..... 35
AANHANGWAGEN (MOBIELE VERSIE) ..... 36


# HARVIA-KACHELS

| Kachel | Type | Vermogen | Saunaruimte | |
|---|---|---|---|---|
| **Harvia M3 + schoorsteen** | Hout, binnen gestookt | 16,5 kW | 2–4 m | Inbegrepen |
| **Harvia M3 SL + schoorsteen** | Hout, van buiten gestookt | 16,5 kW | 2–4 m | Meerprijs |
| **Harvia 20 PRO + schoorsteen** | Hout, binnen gestookt | 24,1 kW | 4–5 m | Meerprijs |
| **Harvia 20 SL + schoorsteen** | Hout, van buiten gestookt | 24,1 kW | 4–5 m | Meerprijs |
| **Harvia Cilindro PC90** | Elektrisch, ingebouwde bediening | 9 kW | 2–3 m | Inbegrepen |
| **Harvia Cilindro PC90XW WiFi Steel** | Elektrisch, wifi-bediening | 9 kW | 2–3 m | Meerprijs |
| **Harvia Legend PO110FC WiFi** | Elektrisch, wifi-bediening | 10,8 kW | naar volume | Meerprijs |

Eén kachel zit in de prijs: de M3 met schoorsteen of de Cilindro PC90; kies er precies één. Saunaruimte = alleen de verwarmde ruimte, zonder kleedruimte of terras. De verwarming hangt af van het volume, de beglazing en de isolatie; wij bevestigen de kachel voor uw definitieve plan.

Elektrische aansluiting: PC90 / PC90XW 400 V 3N~, 3 × 16 A, kabel 5 × 2,5 mm²; PC90 ook 230 V 1N~, 1 × 40 A; Legend PO110FC 400 V 3N~. Een erkende elektricien ontwerpt aansluiting, kabel en beveiliging volgens de handleiding van de kachel.

# THERMISCHE ISOLATIE (OPTIONEEL)




**1.** Houten buitendelen, 44 mm

**2.** Vochtscherm (buiten): houdt de isolatie droog


**3.** Isolatie

**4.** Dampscherm (binnen): houdt damp weg van de isolatie

**5.** Houten binnenbetimmering, 20 mm

De buitenste vochtwerende laag is niet bij elk model nodig. Isolatie is een optie, wordt in de fabriek aangebracht en is aanbevolen voor gemonteerd geleverde sauna's; er is één optie voor sauna's van 2–3 m en één voor 4–5 m. Het exacte materiaal en de dikte worden in de bestelling bevestigd.

# DAKKLEUREN EN ACCESSOIRES



**Zwart** **Bruin** **Groen**


Bitumen dakshingles; één kleur per sauna.

| Accessoires (optioneel) |
|---|
| Roestvrijstalen watertank voor houtkachels (stoomeffect) |
| Elektrische installatie: ledverlichting onder de banken |
| 2 Harvia-lampen boven de toegangsdeur |
| Houten hekje voor de kachel |

# MOBIELE VERSIE – NORDIC SQUARE MOBILE SAUNA

**De TimberIN Nordic Square Mobile Sauna™ is de mobiele versie van de TimberIN Nordic Square Barrel™: dezelfde sauna, gebouwd om op een eigen aanhangwagen te reizen.**

| | |
|---|---|
| **Lengtes** | 2, 3, 4 en 5 m (nominale totale lengte), vuren of thermohout |
| **Zoals de Nordic Square Barrel™** | Harvia-kachels, isolatie, ramen en indelingen: zie de vorige pagina's |
| **Zij-ingang** | Optie bij elke lengte |
| **Afmetingen** | De buitenmaten zijn iets kleiner zodat de sauna op de aanhangwagen en in de vrachtwagen past; de definitieve maten staan op uw ordertekening |
| **Aanhangwagen** | Optionele geremde tweeassige aanhangwagen (EU-categorie O2), afgestemd op de saunalengte; de sauna van 2 m gebruikt de aanhangwagen van 3 m. Gegevens op de volgende pagina |
| **Levering** | Alleen in de fabriek gemonteerd. Met aanhangwagen komt de sauna erop gemonteerd aan; de wielen worden voor het transport verwijderd en op locatie is een kraan of heftruck nodig |



Schematische tekening, niet op schaal. Maten in mm, bij benadering; de goedgekeurde ordertekening is bepalend.

# AANHANGWAGEN (MOBIELE VERSIE)

Elke mobiele TimberIN sauna kan worden besteld op een eigen aanhanger voor de openbare weg, gebouwd voor het vervoer van een sauna. De lengte van de aanhanger wordt afgestemd op de gekozen saunalengte.

| | |
|---|---|
| **Type** | Geremde middenas-plateauaanhanger met tandemas en vloer, voor het vervoer van een sauna |
| **EU-voertuigcategorie** | O2 |
| **Assen** | 2 geremde assen |
| **Banden** | 4 × 185R14C 104N M+S |
| **Velgen** | 5,5J × 14 H2, ET30, 5 × 112 |
| **Plaats van de wielen** | Buiten het plateau |
| **Koppeling** | Oplooprem-koppeling; koppelingshoogte 430 mm boven de weg (vast) |
| **Verlichting** | 12 V, 13-polige stekker |
| **Neuswiel** | 60 mm |
| **Steunpoten op de hoeken** | 4 |
| **Wielblokken** | 2 |
| **Breedte plateau** | 1,5 m of 2,0 m; 2,07 m optioneel |
| **Lengte plateau** | Afgestemd op de gekozen saunalengte |
| **Voorbeeld: plateau 5,0 × 2,0 m** | Totale lengte 6.501 mm incl. dissel; breedte plateau 2.000 mm |
| **Voorbeeld: laadlengte 4,0 m** | Totale lengte 5.520 mm; totale breedte 1.960 mm; hoogte 760 mm (onbeladen) |
| **Typegoedkeuring en documenten** | EU-typegoedgekeurd (Richtlijn 2007/46/EG). Geleverd met een certificaat van overeenstemming (CvO/CoC) en een identificatiecertificaat voor de inschrijving; kan definitief worden ingeschreven in de EU-lidstaten. |

**Levering en lossen.** Wordt de sauna met de aanhanger besteld, dan wordt hij al gemonteerd op de aanhanger geleverd. Vanwege de hoogtebeperking van de vrachtwagen worden de wielen van de aanhanger voor het transport verwijderd. Ter plaatse moet hijsmaterieel aanwezig zijn, een kraan of een heftruck, om de sauna van de vrachtwagen te tillen, de wielen terug te monteren en de aanhanger op de grond te zetten.